

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	108	(FUJIEDA near2 MASANAO).in.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/03 11:11
L2	2584	((606/4-6,10-12) or (351/208-212)). CCLS.	USPAT; USOCR	OR	OFF	2005/10/03 11:12
L3	17	1 and 2	USPAT	OR	OFF	2005/10/03 11:14
L4	3	3 and (fluoresc\$5)	USPAT	OR	OFF	2005/10/03 11:14
L5	14	("5425727" "5442412" "5507799" "5556395" "5562656" "5637109" "5713892" "5800424" "5947955" "6004313" "6030376" "6203539" "6245058" "6257722").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/03 11:35
L7	460	2 and ((measur\$5 obtain\$3 determin\$5) same (radiation irradiation light laser) same intensit\$2)	USPAT	OR	OFF	2005/10/03 11:50
L8	0	7 and (intensit\$2 same fluouresc\$5)	USPAT	OR	OFF	2005/10/03 11:38
L9	46	7 and (intensit\$2 same fluoresc\$5)	USPAT	OR	OFF	2005/10/03 11:39
L10	20	9 and cornea	USPAT	OR	OFF	2005/10/03 11:49
L11	26	9 not 10	USPAT	OR	OFF	2005/10/03 11:49
L12	0	2 and ((measur\$5 obtain\$3 determin\$5) same (radiation irradiation light laser) same intensit\$2) same (fluoresc\$5 adj glass)	USPAT	OR	OFF	2005/10/03 11:50
L13	1	2 and ((measur\$5 obtain\$3 determin\$5) same (radiation irradiation light laser) same intensit\$2) same (fluoresc\$5 adj (mirror glass lens))	USPAT	OR	OFF	2005/10/03 11:54
L14	7	((measur\$5 obtain\$3 determin\$5) same (radiation irradiation light laser) same intensit\$2) same (fluoresc\$5 adj glass)	USPAT	OR	OFF	2005/10/03 11:54

	1	Document ID	Title	Current OR
1	X	US 6712808 B2	Laser surgery apparatus	606/4
2	X	US 5684562 A	Ophthalmic apparatus	351/212
3	X	US 5565939 A	Wireless ophthalmic apparatus	351/212
4	X	US 5500697 A	Ophthalmic apparatus for measuring refractive characteristic of eye to be measured	351/212
5	X	US 6666857 B2	Integrated wavefront-directed topography-controlled photoablation	606/12
6	X	US 6808523 B2	Laser therapeutic apparatus	606/10
7	X	US 6592574 B1	Hydration and topography tissue measurements for laser sculpting	606/4
8	X	US 6572606 B2	Laser fluence compensation of a curved surface	606/5
9	X	US 4922115 A	Fluorescent glass dosimeter	250/484.5
10	X	US 4880986 A	System for measuring radiation doses using fluorescent dosimeters	250/484.5

	Inventor
1	Fujieda; Masanao
2	Fujieda; Masanao
3	Fujieda; Masanao
4	Fujieda; Masanao
5	Smith; Robert F.
6	Fujisaka; Shinichi et al.
7	Shimmick; John Karl et al.
8	Kliewer; Michael L. et al.
9	Mawatari; Yasushi et al.
10	Yamada; Junji et al.